





Hose reel Z



DIESEL



FEATURES

	DIESEL without hose	DIESEL with hose	Ad Blue® without hose	Ad Blue® with hose
Inlet ["]:	1"M	1"M	hose stem Ø20	hose stem Ø20
Outlet * ["]:	hose stem Ø20	hose stem Ø20	hose stem Ø20	hose stem Ø20
Max pressure [bar]:	10	10	10	10
Max hose Ø [mm]:	20	20	20	20
Max hose length [m]:	8	8	8	8
Included hose (length; Ø) [m; mm]:	-	8; 20	-	8; 20
Flow losses [lpm]:	5 @ 60lpm	5 @ 60lpm	5 @ 60lpm	5 @ 60lpm
Protection cover:	included	included	included	included
Hose's auto-stop system:	yes	yes	yes	yes
Allowed fluids:	Diesel	Diesel	Ad Blue®, AUS 32	Ad Blue®, AUS 32
Forbidden fluids:	gas, alcool, water, gasoline, kerosene	gas, alcool, water, gasoline, kerosene	gas, alcool, diesel gasoline, kerosene	gas, alcool, diesel gasoline, kerosene
Material:	painted steel, ABS	painted steel, ABS	painted steel, ABS	painted steel, ABS
Sealing material:	NBR	NBR	Viton	Viton
Fitting material:	brass	brass	plastic	plastic
Temperature min; max [°C]:	-20/+55	-20/+55	-20/+55	-20/+55
Dimension [mm]:	495x180x475	495x180x475	495x180x475	495x180x475
Weight (without hose) [Kg]:	14	14	14	14
Weight (with hose) [Kg]:	-	18	-	17,5

Accessories:

Fittings
Adjustable wall support



* refers to hose outlet in models with hose



Hose reel P



DIESEL



FEATURES

	DIESEL without hose	DIESEL with hose Ø20	DIESEL with hose Ø25
Inlet ["]:	1" F	1" F	1" F
Outlet * ["]:	1" M	1" M; 3/4" M	1" M
Max pressure [bar]:	10	10	10
Max hose Ø [mm]:	25; 20	20	25
Hose fitting:	Ø 25 M; Ø 20 M	Ø 20 M	Ø 25 M
Max hose length [m]:	10; 15	10; 15	10
Included hose (length) [m]:	-	10 - 15	10
Flow losses [lpm]:	4 @ 70lpm	4 @ 70lpm	4 @ 70lpm
Protection cover:	-	included	included
Hose's auto-stop system:	yes	yes	yes
Allowed fluids:	Diesel	Diesel	Diesel
Forbidden fluids:	gas, alcool, water, gasoline, kerosene	gas, alcool, water, gasoline, kerosene	gas, alcool, water gasoline, kerosene
Material:	painted steel	painted steel	painted steel
Sealing material:	NBR	NBR	NBR
Fitting material:	nichel plated steel, brass	nichel plated steel, brass	nichel plated steel, brass
Temperature min; max [°C]:	-20/+55	-20/+55	-20/+55
Dimension [mm]:	640x310x700	640x310x700	640x310x700
Weight (without hose) [Kg]:	25	25	25
Weight (with hose) [Kg]:	-	29.3; 31	32

Accessories:

Fittings
Adjustable wall support


* refers to hose outlet in models with hose



Hose reel G



DIESEL



FEATURES

	DIESEL without hose	DIESEL with hose Ø20	DIESEL with hose Ø25
Inlet ["]:	1" F	1" F	1" F
Outlet * ["]:	1" M / 1" M	1" M; 3/4" M	1" M
Max pressure [bar]:	10	10	10
Max hose Ø [mm]:	25 ; 20	20	25
Hose fitting:	Ø 25 M; Ø 20 M	Ø 20 M	Ø 25 M
Max hose length [m]:	15; 20	20	15
Tubo included (lunghezza) [m]:	-	20	15
Flow losses [lpm]:	6 @ 70lpm	4 @ 70lpm	4 @ 70lpm
Protection cover:	-	included	included
Hose's auto-stop system:	yes	yes	yes
Allowed fluids:	Diesel	Diesel	Diesel
Forbidden fluids:	gas, alcool, water, gasoline, kerosene	gas, alcool, water, gasoline, kerosene	gas, alcool, water gasoline, kerosene
Material:	painted steel	painted steel	painted steel
Sealing material:	NBR	NBR	NBR
Fitting material:	nichel plated steel, brass	nichel plated steel, brass	nichel plated steel, brass
Temperature min; max [°C]:	-20/+55	-20/+55	-20/+55
Dimension [mm]:	640x360x700	640x360x700	640x360x700
Weight (without hose) [Kg]:	27.5	27.5	27.5
Weight (with hose) [Kg]:	-	36	37.7

Accessories:




Fittings
Adjustable wall support

* refers to hose outlet in models with hose



AVVOLGITUBO - HOSE REEL

SERIE - VERSION **Z**



tutte le dimensioni espresse in mm - all dimensions are in mm





documento - document


prodotto - product

MADE IN ITALY 

ingombri - overall dimensions

AVVOLGITUBO - HOSE REEL

SERIE - VERSION **P**



tutte le dimensioni espresse in mm - all dimensions are in mm



Adam Pumps S.p.A.
Soc. con Socio Unico
via della resistenza 46/48 - 41011 Campogalliano (MO) ITALIA
Tel +39 059 528128 - Fax +39 059 528437 | www.adampumps.com - info@adampumps.com



documento - document



prodotto - product

MADE IN ITALY 

ingombri - overall dimensions

AVVOLGITUBO - HOSE REEL

SERIE - VERSION **G**



tutte le dimensioni espresse in mm - all dimensions are in mm



Adam Pumps S.p.A.
Soc. con Socio Unico
via della resistenza 46/48 - 41011 Campogalliano (MO) ITALIA
Tel +39 059 528128 - Fax +39 059 528437 | www.adampumps.com - info@adampumps.com