

PIUSI

VISCOMAT GEROTOR

WHO AM I?




KEY PRODUCT INFO:

- high flow oil pump
- 65 l/min
- 9 bar pressure
- three-phase motors (industrial contexts)

VISCOMAT GEROTOR

WHERE YOU NEED TO USE ME?

DIFFERENT APPLICATIONS:



1. **Tank Refilling and Draining:** for transferring oil from storage tanks to distribution containers or for draining tanks during maintenance operations.
2. **Filtration Systems:** To move oil through filtration systems to remove impurities.
3. **Transport & Maintenance:** For loading and unloading oil from tanker trucks, it can be used for changing oil in heavy machinery or large equipment.

WHERE YOU NEED TO USE ME?

DIFFERENT APPLICATIONS:

- As a **replacement** for an air pump, some as an "**upgrade**" of the Viscomat
- High flow rate filling of **machine oil tanks**
- **Transferring/filling/emptying** oil
- **Transfer of oil from fixed tanks** to IBCs or from barrels
- **Industrial oil transfer** (non-automotive applications)
- **Mechanics/service centers** for supplying oil to large vehicles
- Oil circulation in **oil cooling and oil filter systems**
- Oil circulation in **industrial hydraulic systems**
- Dedicated to systems that **push the fluid where high pressure is needed**



VISCOMAT GEROTOR

SOME TYPICAL USES

- Wheeled oil transfer, camlock, 1" or 1.5" hoses
- 30 m hose + reel + nozzle
- Service truck with long hose → [Video](#)



VISCOMAT GEROTOR

