



### THE COMPLETE FUEL MANAGEMENT SOLUTION

### **THE SELF SERVICE 2.0 SYSTEM**

ENHANCE YOUR EUE MANAGEMENT TAILORED FOR ANY FIFF DIMENSION.

The new Self Service 2.0 system is the most advanced response for the need to manage a fuel delivery system.

Our distinctive software means that the system is powerful, but never complex.

An innovative concept that has guided the PIUSI development team to seek the utmost simplicity in order to improve your everyday work.

Are you ready to switch it on?

## **SSM 2.O: SUITABLE FOR ANY FLUID** THE KEY TO REDUCE FUEL COSTS



70

# EXPANDABLE MULTI SYSTEM





To better meet the market needs, we created new tailored software bundles for all company fleets, from the smallest to the largest, single and multi-site.



Multi site installation with remote and local dispensers connected via LAN/Wi-Fi/4G
+ SSM 2.0 CLOUD service enabled



### YOUR FUEL MANAGEMENT SYSTEM 2.0



piusi.com PIUS

### THE 2.0 COMPLETE RANGE HARDWARE & SOFTWARE





### 2.0 FMS RANGE KEY POINTS OPTIMIZED MANAGEMENT



piusi.com PIUS

Software 2.0



### A unique solution that gives you complete control over your fleet:

monitor the fuel levels of your tanks, drivers & vehicles consumptions and obtain detailed reports.



### **1. TANK WATCHDOG** INTUITIVE, ACCURATE, CONSTANT CONTROL

piusi.com



SSM 2.0 system features an OCIO 2.0 level indicator which allows you to monitor the fluid level in your tanks.


- Real-time monitoring
- Fluid inventory value & quantity
- Fuel suppliers management
- Intuitive interface
- Advanced reporting with various customization parameters
- Ability to export data in .xls, .csv or .pdf

#### MONITORING

The system allows **real time monitoring** of the tank level and **gives alarms** in case of malfunction or low levels.



Software 2.0



# 2 · DRIVERS COMPREHENSIVE RECORDS



Thanks to the new Self Service

piusi.com

Management 2.0 you can manage up to 1000 drivers.

Using the driver and the vehicle keys, you can analyse the driving behaviour of individual users. Quick search, selection filters and different display modes are also available.

 Ability to see anomalous driver behavior immediately

 Ability to suspend or limit delivery to certain users

- Limit driver's refuelling quantity, daily, weekly or monthly
- Consumption alarms
- Controlled access to your dispensers

## **3 · VEHICLES TO KNOW EVERY DETAIL**

Manage your fleet at a glance: group the vehicles by different options and personalize every single one choosing form a variety of categories. Define the vehicle tank size and set the standard consumption range.

- Abnormal consumption alarms
- Possibility of managing the AdBlue<sup>®</sup> tank for each vehicle
- Simplified visual interface with vehicle icons
- Highly customizable advanced reporting


















## **4 · REPORT** WHEN YOU NEED TO ANALYZE

The Self Service Management 2.0 system provides powerful analysis and reporting tools.

#### Different types of charts and customizable time intervals

can help you manage the consumption of every vehicle, every driver or category.

- Reports available for tanks, types of fluids, drivers, vehicles or category
- Fast data processing
- Ability to export data in .xls, .csv or .pdf



### 





Software 2.0





## 2.0 SOFTWARE PROGRAM OFFER HOW MUCH POWER DO YOU NEED?





Self Service Management 2.0 is available in a **complete range of versions** developed for your needs.

From small fleets up to the biggest, the software is optimized to give you the perfect answer when you are looking for **high performance and maximum usability**.

You can use the software on multiple workstations by purchasing additional **SSM 2.0 CLIENT** licenses.



:

78

|   |                             |  | SSM 2.0<br>ENTRY | SSM 2.0<br>ADVANCED        | SSM 2.0<br>SUITE |
|---|-----------------------------|--|------------------|----------------------------|------------------|
|   | TECHN                       | ICAL SPECIFICATIONS                            | 2.0              | ) YEAR 2018 SOFTWARE PROGE | RAM              |
| N | Ŵ                           | DRIVERS  | 50               | 250                        | 1.000            |
| N |                             | VEHICLES                                       | 50               | 250                        | 1.000            |
| Ы |                             | DISPENSERS                                     | 2                | 4                          | 20               |
| N | OCIO                        | ΟΟΙΟ   | 2                | 4                          | 20               |
| 8 |                             | DASHBOARD                                      | $\checkmark$     | ~                          | $\checkmark$     |
| N | С                           | AUTOMATIC UPDATE                               | $\checkmark$     | $\checkmark$               | ~                |
| 2 |                             | SSM 2.0 CLOUD                                  | $\checkmark$     | $\checkmark$               | $\checkmark$     |
| N | <b>AdBlue</b><br>management | AdBlue <sup>®</sup> VEHICLE<br>TANK MANAGEMENT | $\checkmark$     | $\checkmark$               | $\checkmark$     |

### **POSSIBLE CONNECTIONS** SYSTEM ALWAYS CONNECTED, ANYWHERE

piusi.com

Self Service Management 2.O adapts easily to all site installations thanks to the **various data transfer methods that allow to control and collect all the information** regarding your site in every condition.



# PW MOBILE 4G DATA TRANSFER FROM ANYWHERE

The R&D and IT departments have developed a **new communication system** that allows to install the SSM 2.0 FMS anywhere in the world even without LAN or Wi-Fi network.

PW MOBILE 4G allows you to transfer data using the **mobile 4G network**. Software 2.0



# HARDWARE 2.0 THE TOP FOR DISPENSING

**piusi**.com



Self Service Management 2.0 runs only with the dedicated range of **Self Service 2.0 dispensing devices**.

- The highest technical performance and reliability, all from one supplier
- Bi-directional communication between the dispenser and the PC
- Built-in LAN connection
- Made in Italy; quality guaranteed by PIUSI



MCBOX 2.0 Upgrade your site to the 2.0 level using your existing equipment.

#### It can control any:

N

- AC pumpPulse meter
- Nozzle contact
- Tank level indicator


#### OCIO 2.0

Advanced tank level indicator.



#### Real-time control of your tank level. It is composed of an electronic device (LAN or WI-FI) and a probe to be put inside the tank.

The level of the fluid is shown on the device itself or on your PC.





#### **SELF SERVICE FM 2.0**

This all-in-one device represents the state-of-the-art technology among the PIUSI range of dispensers.



#### Main features:

- Flow-rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB
- PIUSI WATER CAPTOR filter included
- Integrated nozzle contact
- Built-in OCIO tank level indicator
- Printer

#### **SELF SERVICE MC 2.0**

The perfect solution dedicated to whom who needs a complete dispenser for diesel.



- Main features: Flow-rate up to
- 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB
- PIUSI WATER CAPTOR filter included
- Integrated nozzle contact

#### CUBE MC 2.0

Cube MC 2.0 is the upgraded version of the world famous PIUSI Cube dispenser. It can be installed both on the wall or using the pedestal (optional).



#### Main features:

- Flow-rate up to 90 l/min
- Accuracy: +/- 0.5 %
- Built-in LAN connection
- Noise level < 75 dB

# SSM 2.0 CLOUD CONTROL YOUR SITE REMOTELY



SSM 2.0 CLOUD is the new application that lets you **control your refuelling sites remotely** and manage several installations at the same time.

- With SSM 2.0 CLOUD you can fully monitor the equipment of each site and immediately control their details and alarms
- Wherever you are, you can easily manage your fleet of drivers and vehicles
- The interface is intuitive as always, yet even simpler: each section gives you an overview of the situation, and the status icons tell everything you need to know




SSM 2.0 CLOUD is now available in the TRY & BUY mode: a free 6-month trial of the CLOUD service made available by PIUSI, which allows you to manage your system from any device or tablet. Once the free 6-month trial has ended, you can proceed with the purchase keeping in cloud the data used during the trial period. Ask your dealer for further details!



### SSM 2.0 CLOUD

**DISCOVER THE POSSIBILITIES** 



SSM 2.0 CLOUD

## SELF SERVICE MANAGEMENT 2.0 PRODUCTS RANGE



### Are you still hesitating to make **a real step into the future** by using the new Self Service Management 2.O?

| SOFT | WARE 2.0 · USB CODE | DESCRIPTION      | SOFTWA | <b>RE 2.0</b> • WEB CODE | DESCRIPTION                    |  |
|------|---------------------|------------------|--------|--------------------------|--------------------------------|--|
| Ţ    | <b>¥</b> F00772050  | SSM 2.0 ENTRY    |        | <b>¥</b> FO0772250       | SSM 2.0 ENTRY · WEB EDITION    |  |
|      | <b>Y</b> FO077202A  | SSM 2.0 ADVANCED |        | <b>V</b> FO077222A       | SSM 2.0 ADVANCED • WEB EDITION |  |
|      | <b>Y</b> F0077204A  | SSM 2.0 SUITE    |        | <b>V</b> FO077224A       | SSM 2.0 SUITE • WEB EDITION    |  |
|      | <b>¥</b> F00772000  | SSM 2.0 CLIENT*  |        | <b>\</b> F00772200       | SSM 2.0 CLIENT* • WEB EDITION  |  |

\* The purchase of additional Client licenses enables you to use the various versions of Self Service Management 2.0 on multiple workstations.

| CLOUD 2.0 · CODE DESCRIPTION   |               |   | CTIONS · WEB CODE  | DESCRIPTION                     |
|--|---------------|---|--------------------|---------------------------------|
| ONLINE PURCHASE  | SSM 2.0 CLOUD | P | <b>¥</b> F2O552O1O | MANAGER KEY 2.0                 |
|  |               | σ | Y F1226201A        | KIT KEY READER SELF SERVICE 2.0 |
| Intel® Pentium® 4 or AMD Athlon® 64 processor (2 GHz or faster) • Microsoft® Windows® XP with Service<br>Pack 3, Microsoft® Windows® Vista with Service Pack 2, Microsoft® Windows® Server 2008, Microsoft®<br>Windows® Server 2012, Microsoft® Windows® 7 with Service Pack 1, Windows 8, Windows 8.1 or Windows<br>10 • 2 GB of RAM • 20 GB of available hard-disk space (cannot install on removable flash storage devices)<br>• 1280 x 800 display • Internet connection and registration are necessary for required software activation |               |   | ST1271012A         | PW WIFI 2.0                     |
|  |               |   | <b>¥</b> F12710140 | PW MOBILE 4G                    |

╘┱┯┙

• 1280 x 800 display • Internet connection and registration are necessary for required software activation (only for Web Edition), membership validation, software updates and access to online services.

### DISPENSERS PRODUCTS RANGE

Hardware 2.0



Contact your nearest PIUSI dealer to learn more about all the opportunities that **could improve your day-to-day business**. **Choose the reliability and innovation of PIUSI products.** Thanks to the 2.0 product range, you will discover a new way to make your work day more precise, practical and safe.

Switch to PIUSI 2.0 products and discover the market's **new benchmark in fluid management**.

| <b>DISPENSERS</b> • CODE |                    | DESCRIPTION                        | FLUIDS    | FLOW<br>I/min | -RATE | AC V/Hz | VOLTAGE<br>Power Watt | Amp. max. |
|--------------------------|--------------------|------------------------------------|-----------|---------------|-------|---------|-----------------------|-----------|
|                          | <b>Y</b> FOO59600A | CUBE 70 MC 2.0                     | D         | 70            | 18    | 230/50  | 900                   | 4.9       |
|                          | <b>Y</b> FOO59610A | CUBE 90 MC 2.0                     | D         | 90            | 24    | 230/50  | 900                   | 4.9       |
|                          | <b>Y</b> F00743010 | SELF SERVICE 100 FM 2.0            | DB        | 90            | 24    | 230/50  | 1150                  | 5.7       |
|                          | <b>Y</b> FOO74302A | SELF SERVICE 100 MC 2.0            | DB        | 90            | 24    | 230/50  | 1150                  | 5.7       |
|                          | <b>Y</b> F00743060 | SELF SERVICE 70 MC 2.0 for AdBlue® | ۵         | 32            | 9     | 230/50  | 400                   | 1.95      |
|                          | <b>Y</b> FOO59701A | MCBOX LAN 2.0                      | BDGOK     | /             | /     | 230/50  | 35                    | 6.5       |
|                          | <b>Y</b> F0059701A | MCBOX WIFI 2.0                     | B D G O K | /             | /     | 230/50  | 35                    | 6.5       |

A Antifreeze B B2O with concentration up to 20% in diesel D Diesel G Gasoline K Kerosene O Oil U AdBlue® W Water W Windscreen

### ACCESSORIES **PRODUCTS RANGE**

### Thanks to the range of Self Service Management 2.O accessories, the system becomes increasingly flexible and adaptable to your needs.

| ACCES    | SORIES · CODE      | DESCRIPTION                           | OCIO · CODE | DESCRIPTION               |
|----------|--------------------|---------------------------------------|-------------|---------------------------|
| P        | <b>Y</b> F15904000 | <b>USER KEY</b> (yellow key • 10 pcs) | ¥ F00755260 | LEVEL IND. OCIO 2.0 LAN   |
|          | <b>¥</b> F17299000 | VEHICLE KEY (blue key • 10 pcs)       | F0075521A   | LEVEL IND. OCIO 2.0 WIFI  |
| Ĵ        | <b>¥</b> F1270800C | PEDESTAL (Cube)                       | ¥ F00755220 | LEVEL IND. OCIO 2.0 RS485 |
| <u>j</u> | <b>X</b> R12737000 | KIT WALL SUPPORT (Cube)               |             |                           |

| KIT UPGRADE |  | CODE                | DESCRIPTION                 |  |
|-------------|--|---------------------|-----------------------------|--|
|             | The range of 2.0 products requires the use of Self Service<br>Management 2.0 software. Simply replacing the electronic board of SS FM<br>and SS MC, your columns can communicate with the system 2.0.<br>All with the highest electrical and mechanical compatibility, to have<br>all advantages of 2.0 and no difficulty. | SS MC LAN F19225000 | KIT UPGRADE SELF SERVICE MC |  |
|             |  | SS FM LAN F19226000 | KIT UPGRADE SELF SERVICE FM |  |

piusi.com





# RUN YOURSITE EFFICIENTLY: $\left( \right) \left( \right) \right)$ SSM 2.0

Self Service Management 2.0 is the Fuel Management System by PIUSI available worldwide through a professional network of authorized dealers.

Get in touch with our local partners or contact PIUSI directly to customize your SSM 2.0 system.





### **MADE IN ITALY**

### piusi.com

**PIUSI S.p.A.** • 46O29 Suzzara (Mantova) Italy tel. +39 O376 534561 • fax +39 O376 536393 • piusi@piusi.com

#### piusiusa.com

PIUSI USA, Inc. • 3901 Anglers Ave Fort Lauderdale, FL 33312 tel. 954 584 1552 • fax 954 584 1554 • piusiusa@piusiusa.com